

Line plan

FLEXUS.2

DGAC



SOL[®]
PARAGLIDERS

Summary

Overview paraglider.....	4
Overview risers	5
Line plan	6
Riser lengths	8
Weight, measure and data.....	10
Parts and materials	12
Lines.....	12
Line lengths.....	14
Line lengths individually	18




Overview paraglider

1. Trailing edge
2. Top
3. Leading edge
4. Bottom
5. Stabilo
6. Lines
7. Risers



Overview risers

1. Riser A.
2. Riser A'.
3. Riser B.
4. Riser C.
5. Brake lines.
6. Auxiliary brake lines.
7. Brakehandle connection.
8. Brakehandle.
9. Brakehandle adjustment.
10. Magnetic button.
11. Trimmer.
12. Connection to harness.
13. Accelerator.
14. Accelerator connection.
15. Speed system.
16. Trimmer system.




Line plan



Never and under no circumstances the line length can be altered!

FLEXUS 2



Riser lengths



A	A'	B	C
45 cm	46,5 cm	47 cm	52 cm

Without accelerator - Open trimmer



Measure without quick links



A	A'	B	C
37 cm	38 cm	39,5 cm	45,5 cm

With accelerator - Closed trimmer



Measure without quick links



A	A'	B	C
45 cm	45 cm	45 cm	45,5 cm

Without accelerator - Closed trimmer



Measure without quick links



A	A'	B	C
45 cm	45 cm	45 cm	45 cm

With accelerator - Open trimmer



Measure without quick links



Weight, measure and data

Model	XXS	XS	S	M	L	XL	XXL	
Cells	42	42	42	42	42	42	42	
Real Surface	19,52	21,14	22,82	24,58	26,39	28,54	30,78	m ²
Real Span	10,06	10,47	10,88	11,2905	11,70	12,17	12,64	m
Real A/R	5,19	5,19	5,19	5,19	5,19	5,19	5,19	
Projected Surface	13,02	14,3	15,6	16,9	18,2	19,5	20,9	m ²
Projected Span	8,18	8,52	8,85	9,18	9,52	9,90	10,28	m
Projected A/R	3,94	3,94	3,94	3,94	3,94	3,94	3,94	
Height	607	635	661	686	711	734	757	cm
Profile max.	195	205	214	222	231	239	247	cm
Profile min.	49	51	54	56	58	60	62	cm
Paraglider weight	3,7	4,0	4,3	4,5	4,7	5,0	5,3	kg
Take off weight	50 - 80	65 - 95	80 - 110	95 - 125	110 - 140	125 - 155	140 - 170	Kg
Certification	DGAC	DGAC	DGAC	DGAC	DGAC	DGAC	DGAC	
Accelerator	8	8	8	8	8	8	8	cm
Risers	3 + 1	3 + 1	3 + 1	3 + 1	3 + 1	3 + 1	3 + 1	
Trimmer	7	7	7	7	7	7	7	cm
Other connected or adjustable parts	1	1	1	1	1	1	1	



Parts and materials

Top	WTX 40 PU + Silicon 40 gr/sm
Bottom	WTX 40 PU + Silicon 40 gr/sm
Profiles/Diagonal tapes	Pro-Nyl High Tenacity Nylon rip-stop Hard finish 36 gr/sm
Reinforcements	Nylon Meada 2,5 mm
Reinforcements inside/outside	Cetim Polyester 25 mm
Loops	Fita Polyester / Polipropileno FRL0027 10 X 1.0 mm Ribana White
Sewing thread on canopy	Graal Polyester Filament Continuous 60 White
Sewing thread on risers	Dabond Polyester Filament Continuous 30 - 40 Black
Lines	Liros Dyneema PPSLS 125 - 180 - 260 / Cousin Technora 988
Quick Links	Ansung Precision 20 mm. 800 kg
Risers	Fita Poliéster Venus VII 19 mm Preta. 1.600 kg
Pulleys	Nylon Sol 12 mm Red
Magnet clip	Ima de Neodimio N35 20 X 10 X 3 mm
Accelerator clip	Aluminum - ISR

Lines

Model	PPSLS 125	PPSLS 180	PPSLS 260	988
Manufacturer	Liros GER	Liros GER	Liros GER	Cousin FRA
Number resistance test	LKT 1630	LKT 1531	LKT 1529	LT 949
Diameter	1,05 mm	1,25 mm	1,58 mm	2,1 mm
Material	Dyneema	Dyneema	Dyneema	Technora
Rope coating	Polyester	Polyester	Polyester	Polyester
Resistance after bending	121,4 daN	142,9 daN	182,3 daN	182,4 daN



Line lengths

Flexus 2 XXS

	A	B	C	D	F
1	5813	5813	5853		5786
2	5977	5938	5973		5809
3	6145	6118	6154		5869
4	6178	6147	6190		5933
5	6253	6213	6267		5962
6	6299	6255	6318		6032
7	6340	6291	6354	6419	6093
8	6326	6274	6346	6419	6101
9	6343	6283	6362	6442	6149
10	6375	6312	6394	6477	6247
11	6399	6332	6418	6505	6340
12	6384	6314	6402	6492	6418
13	6410	6339	6428	6518	6566
14	6452	6381	6469	6559	6775



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Flexus 2 XS

	A	B	C	D	F
1	6042	6042	6084		6024
2	6212	6172	6209		6049
3	6386	6358	6396		6111
4	6419	6388	6433		6179
5	6497	6456	6513		6210
6	6544	6499	6565		6283
7	6586	6535	6601	6670	6347
8	6571	6516	6592	6668	6354
9	6587	6525	6608	6691	6403
10	6620	6555	6641	6727	6504
11	6644	6574	6664	6755	6598
12	6627	6555	6647	6740	6677
13	6653	6579	6672	6766	6827
14	6696	6622	6715	6808	7042



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Flexus 2 S

	A	B	C	D	F
1	6267	6268	6312		6258
2	6443	6402	6442		6285
3	6624	6596	6636		6351
4	6658	6625	6674		6422
5	6738	6696	6756		6455
6	6787	6740	6810		6531
7	6830	6776	6847	6919	6597
8	6814	6757	6837	6916	6605
9	6830	6765	6852	6939	6655
10	6863	6796	6886	6976	6758
11	6887	6815	6909	7004	6854
12	6869	6794	6891	6988	6934
13	6896	6819	6916	7014	7088
14	6939	6863	6960	7057	7308



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Flexus 2 M

	A	B	C	D	F
1	6015	6017	6063		6496
2	6198	6155	6197		6525
3	6384	6355	6398		6593
4	6420	6386	6438		6668
5	6502	6458	6522		6703
6	6552	6504	6577		6782
7	6595	6540	6614	6689	6850
8	6579	6519	6603	6686	6858
9	6594	6526	6618	6708	6910
10	6628	6558	6652	6746	7015
11	6652	6577	6675	6773	7113
12	6632	6555	6656	6756	7193
13	6658	6578	6681	6782	7349
14	6703	6624	6725	6826	7574



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Flexus 2 L

	A	B	C	D	F
1	6720	6722	6770		6731
2	6909	6865	6910		6763
3	7101	7072	7118		6834
4	7138	7103	7158		6911
5	7223	7177	7245		6949
6	7275	7225	7302		7030
7	7319	7262	7340	7418	7101
8	7301	7240	7328	7414	7110
9	7316	7246	7342	7436	7162
10	7351	7279	7377	7474	7270
11	7375	7297	7400	7502	7370
12	7355	7274	7379	7484	7451
13	7381	7298	7405	7510	7612
14	7427	7345	7451	7555	7843



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Flexus 2 XXL

	A	B	C	D	F
1	7235	7237	7290		7269
2	7438	7392	7442		7305
3	7644	7613	7665		7383
4	7684	7647	7709		7468
5	7774	7726	7801		7510
6	7830	7776	7861		7599
7	7876	7814	7901	7986	7675
8	7856	7790	7887	7980	7684
9	7871	7796	7901	8003	7740
10	7908	7829	7938	8043	7853
11	7932	7848	7960	8070	7958
12	7909	7822	7937	8050	8041
13	7935	7846	7962	8077	8209
14	7984	7895	8011	8124	8454



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Flexus 2 XL

	A	B	C	D	F
1	6981	6983	7033		7004
2	7176	7132	7179		7037
3	7376	7346	7395		7112
4	7414	7378	7437		7193
5	7501	7454	7526		7233
6	7555	7503	7584		7318
7	7600	7540	7622	7704	7391
8	7581	7517	7609	7699	7399
9	7595	7522	7623	7721	7453
10	7631	7555	7659	7760	7563
11	7654	7573	7681	7787	7665
12	7632	7549	7659	7768	7748
13	7658	7572	7684	7794	7911
14	7706	7620	7731	7840	8149



Measuring incl. risers and carabiners with 5 daN load
Brake line measuring without riser

Line lengths individually

Flexus 2 XXS

Name	Line reference	Diameter / mm	Length / mm	Number of lines
A1	LIROS PPSLS 125	1,05	624	2
A2	LIROS PPSLS 125	1,05	788	2
A3	LIROS PPSLS 125	1,05	502	2
A4	LIROS PPSLS 125	1,05	535	2
A5	LIROS PPSLS 125	1,05	525	2
A6	LIROS PPSLS 125	1,05	571	2
A7	LIROS PPSLS 125	1,05	552	2
A8	LIROS PPSLS 125	1,05	538	2
A9	LIROS PPSLS 125	1,05	555	2
A10	LIROS PPSLS 125	1,05	587	2
A11	LIROS PPSLS 125	1,05	611	2
A12	LIROS PPSLS 125	1,05	596	2
A13	LIROS PPSLS 125	1,05	622	2
A14	LIROS PPSLS 125	1,05	664	2
AM1	LIROS PPSLS 180	1,2	1385	2
AM2	LIROS PPSLS 180	1,2	1470	2
AM3	LIROS PPSLS 180	1,2	1770	2
AM4	LIROS PPSLS 180	1,2	1770	2
AM5	LIROS PPSLS 180	1,2	1770	2
AM6	LIROS PPSLS 180	1,2	1770	2
AR1	LIROS PPSLS 260	1,58	3800	2
AR2	LIROS PPSLS 260	1,58	3560	2
AR3	LIROS PPSLS 260	1,58	3560	2
B1	LIROS PPSLS 125	1,05	624	2
B2	LIROS PPSLS 125	1,05	749	2
B3	LIROS PPSLS 125	1,05	475	2
B4	LIROS PPSLS 125	1,05	504	2
B5	LIROS PPSLS 125	1,05	485	2
B6	LIROS PPSLS 125	1,05	527	2
B7	LIROS PPSLS 125	1,05	503	2
B8	LIROS PPSLS 125	1,05	486	2
B9	LIROS PPSLS 125	1,05	495	2
B10	LIROS PPSLS 125	1,05	524	2
B11	LIROS PPSLS 125	1,05	544	2
B12	LIROS PPSLS 125	1,05	526	2
B13	LIROS PPSLS 125	1,05	551	2
B14	LIROS PPSLS 125	1,05	593	2
BM1	LIROS PPSLS 180	1,2	1385	2
BM2	LIROS PPSLS 180	1,2	1470	2
BM3	LIROS PPSLS 180	1,2	1770	2
BM4	LIROS PPSLS 180	1,2	1770	2
BM5	LIROS PPSLS 180	1,2	1770	2
BM6	LIROS PPSLS 180	1,2	1770	2
SM	LIROS PPSLS 125	1,05	815	6
SRB	LIROS PPSLS 125	1,05	3920	2
BR1	LIROS PPSLS 260	1,58	3800	2
BR2	LIROS PPSLS 260	1,58	3560	2
BR3	LIROS PPSLS 260	1,58	3560	2

Flexus 2 XXS

Name	Line reference	Diameter / mm	Length / mm	Number of lines
C1	LIROS PPSLS 125	1,05	664	2
C2	LIROS PPSLS 125	1,05	784	2
C3	LIROS PPSLS 125	1,05	511	2
C4	LIROS PPSLS 125	1,05	547	2
C5	LIROS PPSLS 125	1,05	539	2
C6	LIROS PPSLS 125	1,05	590	2
C7	LIROS PPSLS 125	1,05	575	2
C8	LIROS PPSLS 125	1,05	567	2
C9	LIROS PPSLS 125	1,05	583	2
C10	LIROS PPSLS 125	1,05	615	2
C11	LIROS PPSLS 125	1,05	639	2
C12	LIROS PPSLS 125	1,05	623	2
C13	LIROS PPSLS 125	1,05	649	2
C14	LIROS PPSLS 125	1,05	690	2
CM1	LIROS PPSLS 180	1,2	1385	2
CM2	LIROS PPSLS 180	1,2	1470	2
CM3	LIROS PPSLS 180	1,2	1770	2
CM4	LIROS PPSLS 180	1,2	1770	2
CM5	LIROS PPSLS 180	1,2	1770	2
CM6	LIROS PPSLS 180	1,2	1770	2
CR1	LIROS PPSLS 260	1,58	3800	2
CR2	LIROS PPSLS 260	1,58	3560	2
CR3	LIROS PPSLS 260	1,58	3560	2
D7	LIROS PPSLS 125	1,05	639	2
D8	LIROS PPSLS 125	1,05	639	2
D9	LIROS PPSLS 125	1,05	662	2
D10	LIROS PPSLS 125	1,05	697	2
D11	LIROS PPSLS 125	1,05	725	2
D12	LIROS PPSLS 125	1,05	712	2
D13	LIROS PPSLS 125	1,05	738	2
D14	LIROS PPSLS 125	1,05	779	2
DM3	LIROS PPSLS 180	1,2	1770	2
DM4	LIROS PPSLS 180	1,2	1770	2
DM5	LIROS PPSLS 180	1,2	1770	2
DM6	LIROS PPSLS 180	1,2	1770	2
F1	LIROS PPSLS 125	1,05	459	2
F2	LIROS PPSLS 125	1,05	482	2
F3	LIROS PPSLS 125	1,05	542	2
F4	LIROS PPSLS 125	1,05	606	2
F5	LIROS PPSLS 125	1,05	635	2
F6	LIROS PPSLS 125	1,05	705	2
F7	LIROS PPSLS 125	1,05	764	2
F8	LIROS PPSLS 125	1,05	772	2
F9	LIROS PPSLS 125	1,05	820	2
F10	LIROS PPSLS 125	1,05	918	2
F11	LIROS PPSLS 125	1,05	1011	2
F12	LIROS PPSLS 125	1,05	1089	2
F13	LIROS PPSLS 125	1,05	1237	2
F14	LIROS PPSLS 125	1,05	1446	2
FM	LIROS PPSLS 125	1,05	1530	18
F2D	LIROS PPSLS 125	1,05	3650	2
FR	COUSIN / TECHNORA 988	2,1	2310	2

Flexus 2 XS

Name	Line reference	Diameter / mm	Length / mm	Number of lines
A1	LIROS PPSLS 125	1,05	638	2
A2	LIROS PPSLS 125	1,05	808	2
A3	LIROS PPSLS 125	1,05	518	2
A4	LIROS PPSLS 125	1,05	551	2
A5	LIROS PPSLS 125	1,05	539	2
A6	LIROS PPSLS 125	1,05	586	2
A7	LIROS PPSLS 125	1,05	573	2
A8	LIROS PPSLS 125	1,05	558	2
A9	LIROS PPSLS 125	1,05	574	2
A10	LIROS PPSLS 125	1,05	607	2
A11	LIROS PPSLS 125	1,05	631	2
A12	LIROS PPSLS 125	1,05	614	2
A13	LIROS PPSLS 125	1,05	640	2
A14	LIROS PPSLS 125	1,05	683	2
AM1	LIROS PPSLS 180	1,2	1440	2
AM2	LIROS PPSLS 180	1,2	1530	2
AM3	LIROS PPSLS 180	1,2	1845	2
AM4	LIROS PPSLS 180	1,2	1845	2
AM5	LIROS PPSLS 180	1,2	1845	2
AM6	LIROS PPSLS 180	1,2	1845	2
AR1	LIROS PPSLS 260	1,58	3970	2
AR2	LIROS PPSLS 260	1,58	3710	2
AR3	LIROS PPSLS 260	1,58	3710	2
B1	LIROS PPSLS 125	1,05	638	2
B2	LIROS PPSLS 125	1,05	768	2
B3	LIROS PPSLS 125	1,05	490	2
B4	LIROS PPSLS 125	1,05	520	2
B5	LIROS PPSLS 125	1,05	498	2
B6	LIROS PPSLS 125	1,05	541	2
B7	LIROS PPSLS 125	1,05	522	2
B8	LIROS PPSLS 125	1,05	503	2
B9	LIROS PPSLS 125	1,05	512	2
B10	LIROS PPSLS 125	1,05	542	2
B11	LIROS PPSLS 125	1,05	561	2
B12	LIROS PPSLS 125	1,05	542	2
B13	LIROS PPSLS 125	1,05	566	2
B14	LIROS PPSLS 125	1,05	609	2
BM1	LIROS PPSLS 180	1,2	1440	2
BM2	LIROS PPSLS 180	1,2	1530	2
BM3	LIROS PPSLS 180	1,2	1845	2
BM4	LIROS PPSLS 180	1,2	1845	2
BM5	LIROS PPSLS 180	1,2	1845	2
BM6	LIROS PPSLS 180	1,2	1845	2
SM	LIROS PPSLS 125	1,05	850	6
SRB	LIROS PPSLS 125	1,05	4100	2
BR1	LIROS PPSLS 260	1,58	3970	2
BR2	LIROS PPSLS 260	1,58	3710	2
BR3	LIROS PPSLS 260	1,58	3710	2

Flexus 2 XS

Name	Line reference	Diameter / mm	Length / mm	Number of lines
C1	LIROS PPSLS 125	1,05	680	2
C2	LIROS PPSLS 125	1,05	805	2
C3	LIROS PPSLS 125	1,05	528	2
C4	LIROS PPSLS 125	1,05	565	2
C5	LIROS PPSLS 125	1,05	555	2
C6	LIROS PPSLS 125	1,05	607	2
C7	LIROS PPSLS 125	1,05	597	2
C8	LIROS PPSLS 125	1,05	588	2
C9	LIROS PPSLS 125	1,05	604	2
C10	LIROS PPSLS 125	1,05	637	2
C11	LIROS PPSLS 125	1,05	660	2
C12	LIROS PPSLS 125	1,05	643	2
C13	LIROS PPSLS 125	1,05	668	2
C14	LIROS PPSLS 125	1,05	711	2
CM1	LIROS PPSLS 180	1,2	1440	2
CM2	LIROS PPSLS 180	1,2	1530	2
CM3	LIROS PPSLS 180	1,2	1845	2
CM4	LIROS PPSLS 180	1,2	1845	2
CM5	LIROS PPSLS 180	1,2	1845	2
CM6	LIROS PPSLS 180	1,2	1845	2
CR1	LIROS PPSLS 260	1,58	3970	2
CR2	LIROS PPSLS 260	1,58	3710	2
CR3	LIROS PPSLS 260	1,58	3710	2
D7	LIROS PPSLS 125	1,05	665	2
D8	LIROS PPSLS 125	1,05	663	2
D9	LIROS PPSLS 125	1,05	686	2
D10	LIROS PPSLS 125	1,05	722	2
D11	LIROS PPSLS 125	1,05	750	2
D12	LIROS PPSLS 125	1,05	735	2
D13	LIROS PPSLS 125	1,05	761	2
D14	LIROS PPSLS 125	1,05	803	2
DM3	LIROS PPSLS 180	1,2	1845	2
DM4	LIROS PPSLS 180	1,2	1845	2
DM5	LIROS PPSLS 180	1,2	1845	2
DM6	LIROS PPSLS 180	1,2	1845	2
F1	LIROS PPSLS 125	1,05	487	2
F2	LIROS PPSLS 125	1,05	512	2
F3	LIROS PPSLS 125	1,05	574	2
F4	LIROS PPSLS 125	1,05	642	2
F5	LIROS PPSLS 125	1,05	673	2
F6	LIROS PPSLS 125	1,05	746	2
F7	LIROS PPSLS 125	1,05	808	2
F8	LIROS PPSLS 125	1,05	815	2
F9	LIROS PPSLS 125	1,05	864	2
F10	LIROS PPSLS 125	1,05	965	2
F11	LIROS PPSLS 125	1,05	1059	2
F12	LIROS PPSLS 125	1,05	1138	2
F13	LIROS PPSLS 125	1,05	1288	2
F14	LIROS PPSLS 125	1,05	1503	2
FM	LIROS PPSLS 125	1,05	1595	18
F2D	LIROS PPSLS 125	1,05	3795	2
FR	COUSIN / TECHNORA 988	2,1	2390	2

Flexus 2 S

Name	Line reference	Diameter / mm	Length / mm	Number of lines
A1	LIROS PPSLS 125	1,05	663	2
A2	LIROS PPSLS 125	1,05	839	2
A3	LIROS PPSLS 125	1,05	536	2
A4	LIROS PPSLS 125	1,05	570	2
A5	LIROS PPSLS 125	1,05	550	2
A6	LIROS PPSLS 125	1,05	599	2
A7	LIROS PPSLS 125	1,05	597	2
A8	LIROS PPSLS 125	1,05	581	2
A9	LIROS PPSLS 125	1,05	597	2
A10	LIROS PPSLS 125	1,05	630	2
A11	LIROS PPSLS 125	1,05	654	2
A12	LIROS PPSLS 125	1,05	636	2
A13	LIROS PPSLS 125	1,05	663	2
A14	LIROS PPSLS 125	1,05	706	2
AM1	LIROS PPSLS 180	1,2	1490	2
AM2	LIROS PPSLS 180	1,2	1590	2
AM3	LIROS PPSLS 180	1,2	1915	2
AM4	LIROS PPSLS 180	1,2	1915	2
AM5	LIROS PPSLS 180	1,2	1915	2
AM6	LIROS PPSLS 180	1,2	1915	2
AR1	LIROS PPSLS 260	1,58	4140	2
AR2	LIROS PPSLS 260	1,58	3860	2
AR3	LIROS PPSLS 260	1,58	3860	2
B1	LIROS PPSLS 125	1,05	664	2
B2	LIROS PPSLS 125	1,05	798	2
B3	LIROS PPSLS 125	1,05	508	2
B4	LIROS PPSLS 125	1,05	537	2
B5	LIROS PPSLS 125	1,05	508	2
B6	LIROS PPSLS 125	1,05	552	2
B7	LIROS PPSLS 125	1,05	543	2
B8	LIROS PPSLS 125	1,05	524	2
B9	LIROS PPSLS 125	1,05	532	2
B10	LIROS PPSLS 125	1,05	563	2
B11	LIROS PPSLS 125	1,05	582	2
B12	LIROS PPSLS 125	1,05	561	2
B13	LIROS PPSLS 125	1,05	586	2
B14	LIROS PPSLS 125	1,05	630	2
BM1	LIROS PPSLS 180	1,2	1490	2
BM2	LIROS PPSLS 180	1,2	1590	2
BM3	LIROS PPSLS 180	1,2	1915	2
BM4	LIROS PPSLS 180	1,2	1915	2
BM5	LIROS PPSLS 180	1,2	1915	2
BM6	LIROS PPSLS 180	1,2	1915	2
SM	LIROS PPSLS 125	1,05	880	6
SRB	LIROS PPSLS 125	1,05	4270	2
BR1	LIROS PPSLS 260	1,58	4140	2
BR2	LIROS PPSLS 260	1,58	3860	2
BR3	LIROS PPSLS 260	1,58	3860	2

Flexus 2 S

Name	Line reference	Diameter / mm	Length / mm	Number of lines
C1	LIROS PPSLS 125	1,05	708	2
C2	LIROS PPSLS 125	1,05	838	2
C3	LIROS PPSLS 125	1,05	548	2
C4	LIROS PPSLS 125	1,05	586	2
C5	LIROS PPSLS 125	1,05	568	2
C6	LIROS PPSLS 125	1,05	622	2
C7	LIROS PPSLS 125	1,05	623	2
C8	LIROS PPSLS 125	1,05	613	2
C9	LIROS PPSLS 125	1,05	628	2
C10	LIROS PPSLS 125	1,05	662	2
C11	LIROS PPSLS 125	1,05	685	2
C12	LIROS PPSLS 125	1,05	667	2
C13	LIROS PPSLS 125	1,05	692	2
C14	LIROS PPSLS 125	1,05	736	2
CM1	LIROS PPSLS 180	1,2	1490	2
CM2	LIROS PPSLS 180	1,2	1590	2
CM3	LIROS PPSLS 180	1,2	1915	2
CM4	LIROS PPSLS 180	1,2	1915	2
CM5	LIROS PPSLS 180	1,2	1915	2
CM6	LIROS PPSLS 180	1,2	1915	2
CR1	LIROS PPSLS 260	1,58	4140	2
CR2	LIROS PPSLS 260	1,58	3860	2
CR3	LIROS PPSLS 260	1,58	3860	2
D7	LIROS PPSLS 125	1,05	694	2
D8	LIROS PPSLS 125	1,05	691	2
D9	LIROS PPSLS 125	1,05	714	2
D10	LIROS PPSLS 125	1,05	751	2
D11	LIROS PPSLS 125	1,05	779	2
D12	LIROS PPSLS 125	1,05	763	2
D13	LIROS PPSLS 125	1,05	789	2
D14	LIROS PPSLS 125	1,05	832	2
DM3	LIROS PPSLS 180	1,2	1915	2
DM4	LIROS PPSLS 180	1,2	1915	2
DM5	LIROS PPSLS 180	1,2	1915	2
DM6	LIROS PPSLS 180	1,2	1915	2
F1	LIROS PPSLS 125	1,05	521	2
F2	LIROS PPSLS 125	1,05	548	2
F3	LIROS PPSLS 125	1,05	614	2
F4	LIROS PPSLS 125	1,05	685	2
F5	LIROS PPSLS 125	1,05	718	2
F6	LIROS PPSLS 125	1,05	794	2
F7	LIROS PPSLS 125	1,05	858	2
F8	LIROS PPSLS 125	1,05	866	2
F9	LIROS PPSLS 125	1,05	916	2
F10	LIROS PPSLS 125	1,05	1019	2
F11	LIROS PPSLS 125	1,05	1115	2
F12	LIROS PPSLS 125	1,05	1195	2
F13	LIROS PPSLS 125	1,05	1349	2
F14	LIROS PPSLS 125	1,05	1569	2
FM	LIROS PPSLS 125	1,05	1655	18
F2D	LIROS PPSLS 125	1,05	3930	2
FR	COUSIN / TECHNORA 988	2,1	2470	2

Flexus 2 M

Name	Line reference	Diameter / mm	Length / mm	Number of lines
A1	LIROS PPSLS 125	1,05	686	2
A2	LIROS PPSLS 125	1,05	869	2
A3	LIROS PPSLS 125	1,05	561	2
A4	LIROS PPSLS 125	1,05	597	2
A5	LIROS PPSLS 125	1,05	579	2
A6	LIROS PPSLS 125	1,05	629	2
A7	LIROS PPSLS 125	1,05	622	2
A8	LIROS PPSLS 125	1,05	606	2
A9	LIROS PPSLS 125	1,05	621	2
A10	LIROS PPSLS 125	1,05	655	2
A11	LIROS PPSLS 125	1,05	679	2
A12	LIROS PPSLS 125	1,05	659	2
A13	LIROS PPSLS 125	1,05	685	2
A14	LIROS PPSLS 125	1,05	730	2
AM1	LIROS PPSLS 180	1,2	1550	2
AM2	LIROS PPSLS 180	1,2	1650	2
AM3	LIROS PPSLS 180	1,2	1990	2
AM4	LIROS PPSLS 180	1,2	1990	2
AM5	LIROS PPSLS 180	1,2	1990	2
AM6	LIROS PPSLS 180	1,2	1990	2
AR1	LIROS PPSLS 260	1,58	4295	2
AR2	LIROS PPSLS 260	1,58	4005	2
AR3	LIROS PPSLS 260	1,58	4005	2
B1	LIROS PPSLS 125	1,05	688	2
B2	LIROS PPSLS 125	1,05	826	2
B3	LIROS PPSLS 125	1,05	532	2
B4	LIROS PPSLS 125	1,05	563	2
B5	LIROS PPSLS 125	1,05	535	2
B6	LIROS PPSLS 125	1,05	581	2
B7	LIROS PPSLS 125	1,05	567	2
B8	LIROS PPSLS 125	1,05	546	2
B9	LIROS PPSLS 125	1,05	553	2
B10	LIROS PPSLS 125	1,05	585	2
B11	LIROS PPSLS 125	1,05	604	2
B12	LIROS PPSLS 125	1,05	582	2
B13	LIROS PPSLS 125	1,05	605	2
B14	LIROS PPSLS 125	1,05	651	2
BM1	LIROS PPSLS 180	1,2	1550	2
BM2	LIROS PPSLS 180	1,2	1650	2
BM3	LIROS PPSLS 180	1,2	1990	2
BM4	LIROS PPSLS 180	1,2	1990	2
BM5	LIROS PPSLS 180	1,2	1990	2
BM6	LIROS PPSLS 180	1,2	1990	2
SM	LIROS PPSLS 125	1,05	915	6
SRB	LIROS PPSLS 125	1,05	4440	2
BR1	LIROS PPSLS 260	1,58	4295	2
BR2	LIROS PPSLS 260	1,58	4005	2
BR3	LIROS PPSLS 260	1,58	4005	2

Flexus 2 M

Name	Line reference	Diameter / mm	Length / mm	Number of lines
C1	LIROS PPSLS 125	1,05	734	2
C2	LIROS PPSLS 125	1,05	868	2
C3	LIROS PPSLS 125	1,05	575	2
C4	LIROS PPSLS 125	1,05	615	2
C5	LIROS PPSLS 125	1,05	599	2
C6	LIROS PPSLS 125	1,05	654	2
C7	LIROS PPSLS 125	1,05	650	2
C8	LIROS PPSLS 125	1,05	639	2
C9	LIROS PPSLS 125	1,05	654	2
C10	LIROS PPSLS 125	1,05	688	2
C11	LIROS PPSLS 125	1,05	711	2
C12	LIROS PPSLS 125	1,05	692	2
C13	LIROS PPSLS 125	1,05	717	2
C14	LIROS PPSLS 125	1,05	761	2
CM1	LIROS PPSLS 180	1,2	1550	2
CM2	LIROS PPSLS 180	1,2	1650	2
CM3	LIROS PPSLS 180	1,2	1990	2
CM4	LIROS PPSLS 180	1,2	1990	2
CM5	LIROS PPSLS 180	1,2	1990	2
CM6	LIROS PPSLS 180	1,2	1990	2
CR1	LIROS PPSLS 260	1,58	4295	2
CR2	LIROS PPSLS 260	1,58	4005	2
CR3	LIROS PPSLS 260	1,58	4005	2
D7	LIROS PPSLS 125	1,05	724	2
D8	LIROS PPSLS 125	1,05	721	2
D9	LIROS PPSLS 125	1,05	743	2
D10	LIROS PPSLS 125	1,05	781	2
D11	LIROS PPSLS 125	1,05	808	2
D12	LIROS PPSLS 125	1,05	791	2
D13	LIROS PPSLS 125	1,05	817	2
D14	LIROS PPSLS 125	1,05	861	2
DM3	LIROS PPSLS 180	1,2	1990	2
DM4	LIROS PPSLS 180	1,2	1990	2
DM5	LIROS PPSLS 180	1,2	1990	2
DM6	LIROS PPSLS 180	1,2	1990	2
F1	LIROS PPSLS 125	1,05	549	2
F2	LIROS PPSLS 125	1,05	578	2
F3	LIROS PPSLS 125	1,05	646	2
F4	LIROS PPSLS 125	1,05	721	2
F5	LIROS PPSLS 125	1,05	756	2
F6	LIROS PPSLS 125	1,05	835	2
F7	LIROS PPSLS 125	1,05	901	2
F8	LIROS PPSLS 125	1,05	909	2
F9	LIROS PPSLS 125	1,05	961	2
F10	LIROS PPSLS 125	1,05	1066	2
F11	LIROS PPSLS 125	1,05	1164	2
F12	LIROS PPSLS 125	1,05	1244	2
F13	LIROS PPSLS 125	1,05	1400	2
F14	LIROS PPSLS 125	1,05	1625	2
FM	LIROS PPSLS 125	1,05	1720	18
F2D	LIROS PPSLS 125	1,05	4075	2
FR	COUSIN / TECHNORA 988	2,1	2550	2

Flexus 2 L

Name	Line reference	Diameter / mm	Length / mm	Number of lines
A1	LIROS PPSLS 125	1,05	716	2
A2	LIROS PPSLS 125	1,05	905	2
A3	LIROS PPSLS 125	1,05	583	2
A4	LIROS PPSLS 125	1,05	620	2
A5	LIROS PPSLS 125	1,05	605	2
A6	LIROS PPSLS 125	1,05	657	2
A7	LIROS PPSLS 125	1,05	651	2
A8	LIROS PPSLS 125	1,05	633	2
A9	LIROS PPSLS 125	1,05	648	2
A10	LIROS PPSLS 125	1,05	683	2
A11	LIROS PPSLS 125	1,05	707	2
A12	LIROS PPSLS 125	1,05	687	2
A13	LIROS PPSLS 125	1,05	713	2
A14	LIROS PPSLS 125	1,05	759	2
AM1	LIROS PPSLS 180	1,2	1610	2
AM2	LIROS PPSLS 180	1,2	1710	2
AM3	LIROS PPSLS 180	1,2	2060	2
AM4	LIROS PPSLS 180	1,2	2060	2
AM5	LIROS PPSLS 180	1,2	2060	2
AM6	LIROS PPSLS 180	1,2	2060	2
AR1	LIROS PPSLS 260	1,58	4450	2
AR2	LIROS PPSLS 260	1,58	4150	2
AR3	LIROS PPSLS 260	1,58	4150	2
B1	LIROS PPSLS 125	1,05	718	2
B2	LIROS PPSLS 125	1,05	861	2
B3	LIROS PPSLS 125	1,05	554	2
B4	LIROS PPSLS 125	1,05	585	2
B5	LIROS PPSLS 125	1,05	559	2
B6	LIROS PPSLS 125	1,05	607	2
B7	LIROS PPSLS 125	1,05	594	2
B8	LIROS PPSLS 125	1,05	572	2
B9	LIROS PPSLS 125	1,05	578	2
B10	LIROS PPSLS 125	1,05	611	2
B11	LIROS PPSLS 125	1,05	629	2
B12	LIROS PPSLS 125	1,05	606	2
B13	LIROS PPSLS 125	1,05	630	2
B14	LIROS PPSLS 125	1,05	677	2
BM1	LIROS PPSLS 180	1,2	1610	2
BM2	LIROS PPSLS 180	1,2	1710	2
BM3	LIROS PPSLS 180	1,2	2060	2
BM4	LIROS PPSLS 180	1,2	2060	2
BM5	LIROS PPSLS 180	1,2	2060	2
BM6	LIROS PPSLS 180	1,2	2060	2
SM	LIROS PPSLS 125	1,05	950	6
SRB	LIROS PPSLS 125	1,05	4600	2
BR1	LIROS PPSLS 260	1,58	4450	2
BR2	LIROS PPSLS 260	1,58	4150	2
BR3	LIROS PPSLS 260	1,58	4150	2

Flexus 2 L

Name	Line reference	Diameter / mm	Length / mm	Number of lines
C1	LIROS PPSLS 125	1,05	766	2
C2	LIROS PPSLS 125	1,05	906	2
C3	LIROS PPSLS 125	1,05	600	2
C4	LIROS PPSLS 125	1,05	640	2
C5	LIROS PPSLS 125	1,05	627	2
C6	LIROS PPSLS 125	1,05	684	2
C7	LIROS PPSLS 125	1,05	681	2
C8	LIROS PPSLS 125	1,05	669	2
C9	LIROS PPSLS 125	1,05	683	2
C10	LIROS PPSLS 125	1,05	718	2
C11	LIROS PPSLS 125	1,05	741	2
C12	LIROS PPSLS 125	1,05	720	2
C13	LIROS PPSLS 125	1,05	746	2
C14	LIROS PPSLS 125	1,05	792	2
CM1	LIROS PPSLS 180	1,2	1610	2
CM2	LIROS PPSLS 180	1,2	1710	2
CM3	LIROS PPSLS 180	1,2	2060	2
CM4	LIROS PPSLS 180	1,2	2060	2
CM5	LIROS PPSLS 180	1,2	2060	2
CM6	LIROS PPSLS 180	1,2	2060	2
CR1	LIROS PPSLS 260	1,58	4450	2
CR2	LIROS PPSLS 260	1,58	4150	2
CR3	LIROS PPSLS 260	1,58	4150	2
D7	LIROS PPSLS 125	1,05	758	2
D8	LIROS PPSLS 125	1,05	754	2
D9	LIROS PPSLS 125	1,05	776	2
D10	LIROS PPSLS 125	1,05	814	2
D11	LIROS PPSLS 125	1,05	842	2
D12	LIROS PPSLS 125	1,05	824	2
D13	LIROS PPSLS 125	1,05	850	2
D14	LIROS PPSLS 125	1,05	895	2
DM3	LIROS PPSLS 180	1,2	2060	2
DM4	LIROS PPSLS 180	1,2	2060	2
DM5	LIROS PPSLS 180	1,2	2060	2
DM6	LIROS PPSLS 180	1,2	2060	2
F1	LIROS PPSLS 125	1,05	574	2
F2	LIROS PPSLS 125	1,05	606	2
F3	LIROS PPSLS 125	1,05	677	2
F4	LIROS PPSLS 125	1,05	754	2
F5	LIROS PPSLS 125	1,05	792	2
F6	LIROS PPSLS 125	1,05	873	2
F7	LIROS PPSLS 125	1,05	942	2
F8	LIROS PPSLS 125	1,05	951	2
F9	LIROS PPSLS 125	1,05	1003	2
F10	LIROS PPSLS 125	1,05	1111	2
F11	LIROS PPSLS 125	1,05	1211	2
F12	LIROS PPSLS 125	1,05	1292	2
F13	LIROS PPSLS 125	1,05	1453	2
F14	LIROS PPSLS 125	1,05	1684	2
FM	LIROS PPSLS 125	1,05	1780	18
F2D	LIROS PPSLS 125	1,05	4225	2
FR	COUSIN / TECHNORA 988	2,1	2640	2

Flexus 2 XL

Name	Line reference	Diameter / mm	Length / mm	Number of lines
A1	LIROS PPSLS 125	1,05	752	2
A2	LIROS PPSLS 125	1,05	947	2
A3	LIROS PPSLS 125	1,05	613	2
A4	LIROS PPSLS 125	1,05	651	2
A5	LIROS PPSLS 125	1,05	633	2
A6	LIROS PPSLS 125	1,05	687	2
A7	LIROS PPSLS 125	1,05	687	2
A8	LIROS PPSLS 125	1,05	668	2
A9	LIROS PPSLS 125	1,05	682	2
A10	LIROS PPSLS 125	1,05	718	2
A11	LIROS PPSLS 125	1,05	741	2
A12	LIROS PPSLS 125	1,05	719	2
A13	LIROS PPSLS 125	1,05	745	2
A14	LIROS PPSLS 125	1,05	793	2
AM1	LIROS PPSLS 180	1,2	1675	2
AM2	LIROS PPSLS 180	1,2	1780	2
AM3	LIROS PPSLS 180	1,2	2140	2
AM4	LIROS PPSLS 180	1,2	2140	2
AM5	LIROS PPSLS 180	1,2	2140	2
AM6	LIROS PPSLS 180	1,2	2140	2
AR1	LIROS PPSLS 260	1,58	4630	2
AR2	LIROS PPSLS 260	1,58	4315	2
AR3	LIROS PPSLS 260	1,58	4315	2
B1	LIROS PPSLS 125	1,05	754	2
B2	LIROS PPSLS 125	1,05	903	2
B3	LIROS PPSLS 125	1,05	583	2
B4	LIROS PPSLS 125	1,05	615	2
B5	LIROS PPSLS 125	1,05	586	2
B6	LIROS PPSLS 125	1,05	635	2
B7	LIROS PPSLS 125	1,05	627	2
B8	LIROS PPSLS 125	1,05	604	2
B9	LIROS PPSLS 125	1,05	609	2
B10	LIROS PPSLS 125	1,05	642	2
B11	LIROS PPSLS 125	1,05	660	2
B12	LIROS PPSLS 125	1,05	636	2
B13	LIROS PPSLS 125	1,05	659	2
B14	LIROS PPSLS 125	1,05	707	2
BM1	LIROS PPSLS 180	1,2	1675	2
BM2	LIROS PPSLS 180	1,2	1780	2
BM3	LIROS PPSLS 180	1,2	2140	2
BM4	LIROS PPSLS 180	1,2	2140	2
BM5	LIROS PPSLS 180	1,2	2140	2
BM6	LIROS PPSLS 180	1,2	2140	2
SM	LIROS PPSLS 125	1,05	990	6
SRB	LIROS PPSLS 125	1,05	4785	2
BR1	LIROS PPSLS 260	1,58	4630	2
BR2	LIROS PPSLS 260	1,58	4315	2
BR3	LIROS PPSLS 260	1,58	4315	2

Flexus 2 XL

Name	Line reference	Diameter / mm	Length / mm	Number of lines
C1	LIROS PPSLS 125	1,05	804	2
C2	LIROS PPSLS 125	1,05	950	2
C3	LIROS PPSLS 125	1,05	632	2
C4	LIROS PPSLS 125	1,05	674	2
C5	LIROS PPSLS 125	1,05	658	2
C6	LIROS PPSLS 125	1,05	716	2
C7	LIROS PPSLS 125	1,05	718	2
C8	LIROS PPSLS 125	1,05	705	2
C9	LIROS PPSLS 125	1,05	719	2
C10	LIROS PPSLS 125	1,05	755	2
C11	LIROS PPSLS 125	1,05	777	2
C12	LIROS PPSLS 125	1,05	755	2
C13	LIROS PPSLS 125	1,05	780	2
C14	LIROS PPSLS 125	1,05	827	2
CM1	LIROS PPSLS 180	1,2	1675	2
CM2	LIROS PPSLS 180	1,2	1780	2
CM3	LIROS PPSLS 180	1,2	2140	2
CM4	LIROS PPSLS 180	1,2	2140	2
CM5	LIROS PPSLS 180	1,2	2140	2
CM6	LIROS PPSLS 180	1,2	2140	2
CR1	LIROS PPSLS 260	1,58	4630	2
CR2	LIROS PPSLS 260	1,58	4315	2
CR3	LIROS PPSLS 260	1,58	4315	2
D7	LIROS PPSLS 125	1,05	799	2
D8	LIROS PPSLS 125	1,05	794	2
D9	LIROS PPSLS 125	1,05	816	2
D10	LIROS PPSLS 125	1,05	855	2
D11	LIROS PPSLS 125	1,05	882	2
D12	LIROS PPSLS 125	1,05	863	2
D13	LIROS PPSLS 125	1,05	889	2
D14	LIROS PPSLS 125	1,05	935	2
DM3	LIROS PPSLS 180	1,2	2140	2
DM4	LIROS PPSLS 180	1,2	2140	2
DM5	LIROS PPSLS 180	1,2	2140	2
DM6	LIROS PPSLS 180	1,2	2140	2
F1	LIROS PPSLS 125	1,05	607	2
F2	LIROS PPSLS 125	1,05	640	2
F3	LIROS PPSLS 125	1,05	715	2
F4	LIROS PPSLS 125	1,05	796	2
F5	LIROS PPSLS 125	1,05	836	2
F6	LIROS PPSLS 125	1,05	921	2
F7	LIROS PPSLS 125	1,05	992	2
F8	LIROS PPSLS 125	1,05	1000	2
F9	LIROS PPSLS 125	1,05	1054	2
F10	LIROS PPSLS 125	1,05	1164	2
F11	LIROS PPSLS 125	1,05	1266	2
F12	LIROS PPSLS 125	1,05	1349	2
F13	LIROS PPSLS 125	1,05	1512	2
F14	LIROS PPSLS 125	1,05	1750	2
FM	LIROS PPSLS 125	1,05	1850	18
F2D	LIROS PPSLS 125	1,05	4390	2
FR	COUSIN / TECHNORA 988	2,1	2740	2

Flexus 2 XXL

Name	Line reference	Diameter / mm	Length / mm	Number of lines
A1	LIROS PPSLS 125	1,05	786	2
A2	LIROS PPSLS 125	1,05	989	2
A3	LIROS PPSLS 125	1,05	641	2
A4	LIROS PPSLS 125	1,05	681	2
A5	LIROS PPSLS 125	1,05	666	2
A6	LIROS PPSLS 125	1,05	722	2
A7	LIROS PPSLS 125	1,05	713	2
A8	LIROS PPSLS 125	1,05	693	2
A9	LIROS PPSLS 125	1,05	708	2
A10	LIROS PPSLS 125	1,05	745	2
A11	LIROS PPSLS 125	1,05	769	2
A12	LIROS PPSLS 125	1,05	746	2
A13	LIROS PPSLS 125	1,05	772	2
A14	LIROS PPSLS 125	1,05	821	2
AM1	LIROS PPSLS 180	1,2	1740	2
AM2	LIROS PPSLS 180	1,2	1845	2
AM3	LIROS PPSLS 180	1,2	2225	2
AM4	LIROS PPSLS 180	1,2	2225	2
AM5	LIROS PPSLS 180	1,2	2225	2
AM6	LIROS PPSLS 180	1,2	2225	2
AR1	LIROS PPSLS 260	1,58	4805	2
AR2	LIROS PPSLS 260	1,58	4480	2
AR3	LIROS PPSLS 260	1,58	4480	2
B1	LIROS PPSLS 125	1,05	788	2
B2	LIROS PPSLS 125	1,05	943	2
B3	LIROS PPSLS 125	1,05	610	2
B4	LIROS PPSLS 125	1,05	644	2
B5	LIROS PPSLS 125	1,05	618	2
B6	LIROS PPSLS 125	1,05	668	2
B7	LIROS PPSLS 125	1,05	651	2
B8	LIROS PPSLS 125	1,05	627	2
B9	LIROS PPSLS 125	1,05	633	2
B10	LIROS PPSLS 125	1,05	666	2
B11	LIROS PPSLS 125	1,05	685	2
B12	LIROS PPSLS 125	1,05	659	2
B13	LIROS PPSLS 125	1,05	683	2
B14	LIROS PPSLS 125	1,05	732	2
BM1	LIROS PPSLS 180	1,2	1740	2
BM2	LIROS PPSLS 180	1,2	1845	2
BM3	LIROS PPSLS 180	1,2	2225	2
BM4	LIROS PPSLS 180	1,2	2225	2
BM5	LIROS PPSLS 180	1,2	2225	2
BM6	LIROS PPSLS 180	1,2	2225	2
SM	LIROS PPSLS 125	1,05	1025	6
SRB	LIROS PPSLS 125	1,05	4970	2
BR1	LIROS PPSLS 260	1,58	4805	2
BR2	LIROS PPSLS 260	1,58	4480	2
BR3	LIROS PPSLS 260	1,58	4480	2

Flexus 2 XXL

Name	Line reference	Diameter / mm	Length / mm	Number of lines
C1	LIROS PPSLS 125	1,05	841	2
C2	LIROS PPSLS 125	1,05	993	2
C3	LIROS PPSLS 125	1,05	662	2
C4	LIROS PPSLS 125	1,05	706	2
C5	LIROS PPSLS 125	1,05	693	2
C6	LIROS PPSLS 125	1,05	753	2
C7	LIROS PPSLS 125	1,05	747	2
C8	LIROS PPSLS 125	1,05	733	2
C9	LIROS PPSLS 125	1,05	747	2
C10	LIROS PPSLS 125	1,05	784	2
C11	LIROS PPSLS 125	1,05	806	2
C12	LIROS PPSLS 125	1,05	783	2
C13	LIROS PPSLS 125	1,05	808	2
C14	LIROS PPSLS 125	1,05	857	2
CM1	LIROS PPSLS 180	1,2	1740	2
CM2	LIROS PPSLS 180	1,2	1845	2
CM3	LIROS PPSLS 180	1,2	2225	2
CM4	LIROS PPSLS 180	1,2	2225	2
CM5	LIROS PPSLS 180	1,2	2225	2
CM6	LIROS PPSLS 180	1,2	2225	2
CR1	LIROS PPSLS 260	1,58	4805	2
CR2	LIROS PPSLS 260	1,58	4480	2
CR3	LIROS PPSLS 260	1,58	4480	2
D7	LIROS PPSLS 125	1,05	831	2
D8	LIROS PPSLS 125	1,05	825	2
D9	LIROS PPSLS 125	1,05	848	2
D10	LIROS PPSLS 125	1,05	888	2
D11	LIROS PPSLS 125	1,05	915	2
D12	LIROS PPSLS 125	1,05	895	2
D13	LIROS PPSLS 125	1,05	922	2
D14	LIROS PPSLS 125	1,05	969	2
DM3	LIROS PPSLS 180	1,2	2225	2
DM4	LIROS PPSLS 180	1,2	2225	2
DM5	LIROS PPSLS 180	1,2	2225	2
DM6	LIROS PPSLS 180	1,2	2225	2
F1	LIROS PPSLS 125	1,05	632	2
F2	LIROS PPSLS 125	1,05	668	2
F3	LIROS PPSLS 125	1,05	746	2
F4	LIROS PPSLS 125	1,05	831	2
F5	LIROS PPSLS 125	1,05	873	2
F6	LIROS PPSLS 125	1,05	962	2
F7	LIROS PPSLS 125	1,05	1036	2
F8	LIROS PPSLS 125	1,05	1045	2
F9	LIROS PPSLS 125	1,05	1101	2
F10	LIROS PPSLS 125	1,05	1214	2
F11	LIROS PPSLS 125	1,05	1319	2
F12	LIROS PPSLS 125	1,05	1402	2
F13	LIROS PPSLS 125	1,05	1570	2
F14	LIROS PPSLS 125	1,05	1815	2
FM	LIROS PPSLS 125	1,05	1925	18
F2D	LIROS PPSLS 125	1,05	4552	2
FR	COUSIN / TECHNORA 988	2,1	2830	2



Sol Sports Ind. e Com. Ltda.
Rua Walter Marquardt, 1180 cp 370
89259-565 Jaraguá do Sul, SC BRAZIL
Telefone (+55) 47 3275 7753
E-mail: info@solsports.com.br
www.solparagliders.com.br
facebook: [solparagliders](https://www.facebook.com/solparagliders)
instagram [@solparagliders](https://www.instagram.com/solparagliders)